

# Regional Transmission Adequacy Guidelines

## RRG Briefing Portland, Oregon

*Ravi K. Aggarwal, MBA  
Chair, RTAG  
Steering Committee & Technical Workgroup  
April 29, 2005*

# Process Clarification

- Objective: Balance reliability, economic, environmental and other public purpose objectives to optimize transmission and resources to meet the needs of the region.
- Expected result: One or more documents to supplement existing WECC, NERC, and utility reliability criteria
- Proposed Timeline:
  - First set of guidelines (highest priority issues): Sept. 30, 2005
  - Regional review and approval: Dec. 31, 2005

# Objective

- How does the region address transmission adequacy challenges that current reliability criteria don't address?
  - How do the existing NERC/WECC standards for the bulk system apply to local load areas
- What guidelines are needed to address challenges that we have planning economic upgrades?
  - Current NERC/WECC address physical adequacy and not economic adequacy

# Prioritization of Issues

First Step: Benchmarking → Helps establish the baseline for understanding current application of N-1 and N-2 criteria

- Load service issue (e.g., Olympic Peninsula – Energy Efficiency/DSM)
  - N-2 requirements (should it be based on MW or geographic scope)
- Robustness of the system: N-1-1?
- Metrics to measure performance
- Linkage between Resource and Transmission Adequacy

# N-2 Issue (load service)

- Local Area Network
- Loads and Transfers
- N-2 benchmarking discussed for following areas:
  - BPA – Load areas (Olympic Peninsula, and So. Oregon Coast)
  - PAC – So. Oregon
  - Snohomish System

# Proposed Methodology

- Consequence
  - Peak load
  - Fraction of load that can be served under N-2
- Exposure
  - Likelihood of outage(s)
  - Load-duration curve
- Benefit/Cost analysis
  - Cost to fix
  - Societal cost of outages




# N-1-1

- One element taken out of service intentionally and a contingency unintentionally trips another element
- Power system generally not planned to operate for all N-1-1 conditions (Number of combinations are too large to plan and cost of the infrastructure needed will be too high)
- Operations cannot address all N-1-1 conditions with the available “tool box” (Safety Net?)



# Examples

- Puget Sound - PSANI
- Eugene Area
- Redmond Area
- Suggested Solutions
  - Undervoltage load shedding
  - Coordinated Planned Outage (timeframe)



# Transmission Adequacy Issues

- Reliability Versus Economic Adequacy: Policy issues
  - Keep the lights with reasonable assuredness
  - Provide comparable access to supply markets,
  - Provide economic access to economic markets for lowest cost
- Generation costs versus grid transfer path costs
- Generation costs include?
  - Cost of unmet load
  - Out of merit generation production costs as limited by path ratings and scheduling limits
  - Expected curtailment re-dispatch following transmission outages
  - Generation cost/price volatility: illiquidity created by transmission constraints
- What is the “prudent utility practice” and acceptable amount of generation costs at point 1
  - How is acceptable amount established
  - To whom and how are costs allocated now – tariff provisions
    - ♦ Generation and transmission
  - What is meant by firm?
- If grid is expanded to point 2 to bring reliability back from pt 0
  - “Lumpyness” of transmission capacity additions and environmental, ROW concerns
  - How much to add (why stop at point 2?)
  - Allocation of costs and capacity added: present tariff treatment
  - Who pays for extra
- For pt 3, how is path capacity allocated to make sure of best use
  - Who pays for added capacity
  - Who receives generation cost reductions
- Pt 4: Decoupling transmission and generation, totally comparable service
  - Society can’t afford to add enough transmission to decouple generation from transmission costs totally,
  - or provide exactly comparable service.
  - How to provide fair allocation of costs and benefits

# Contact Information

Ravi K. Aggarwal

Chair – Steering Committee & Technical Workgroup

Bonneville Power Administration

Phone: (360) 619-6681

Fax: (360) 619-6945

Email: [rkaggarwal@bpa.gov](mailto:rkaggarwal@bpa.gov)

OR


Jerry Rust

Northwest Power Pool

Phone: (503) 464-2806

Email: [jerry.rust@nwpp.org](mailto:jerry.rust@nwpp.org)

# Backup Slides



# Potential Elements of a Transmission Adequacy Guidelines

## Reliability Standards

- NERC, WECC and BPA standards
- Explicit performance criteria such as LOLP
- Probabilistic criteria
- Robustness tests
- Extreme event tests

## Economic Indicators

- Societal benefit/cost analysis of reliability – Value of load loss
- Acceptable levels of congestion
- Definition of least cost solutions
- Price volatility and tolerance
- Assurance level for maintaining ATC across flowgates

# Potential Elements of a Transmission Adequacy Guidelines

## Expansion & Pricing Policy

- Drivers
  - Generation
  - Load
  - Transfers into, out of and through the region
  - Flexibility
- Financial
  - pricing expansion
  - Advance financing requirements or other risk management tools

## Other Objectives

- Development of renewable
- Resource diversity
- Economic development
- Seasonal products




# Possible Solutions

- Amounts and obligations for RAS (or special protection scheme)
- Re-dispatch (mechanisms)
- Curtailment strategies
- Non-Wires Solutions
- Changes to maintenance practices to provide for more flexibility
- Better load forecast mechanisms
- Investigate and incorporate new technologies
- Locational Marginal Pricing (LMP) – Requires formation of an Independent Transmission Operator
- Computer tools to assess state of the transmission system in real-time


# Linkage of Resource and Transmission Adequacy

**Adequacy** = Physical (lights stay on) and Economic (acceptable risk that prices reasonable & not volatile) **or** just Physical?



Source: NW Resource Adequacy Metrics & Standards. TAS meeting, Jan. 10, 05, PDX.

# *Reducing Risks*



Source: Bill Mittelstadt & Brian Tuck (BPA)

Blackout Summit Topic: Integrated Power System Readiness for Normal and Outage Conditions

# System Reliability Engineering

Including normal annual storms

